

# SUBSTITUTION REACTIONS

Substituted benzene molecules have tremendous importance in industrial chemical applications. They are commonly used as solvent and they are often important intermediates in many syntheses, including those of powerful pharmaceutical agents.

CONCEPT  
MAP

Class  
XII

## In Aliphatic Compounds

### Nucleophilic Substitution Reactions


This substitution is carried out by nucleophile.

### Free Radical Substitution Reactions



Due to homolysis of bond.

**Mechanism:**




#### Initiation step:



#### Propagation step:



#### Termination step:




### Electrophilic Substitution Reactions

This substitution is carried out by electrophile.



Electrophilic substitution is very rare in aliphatic compounds.

Some examples are:

- Replacement of metal atom in an organometallic compound by hydrogen.




- Decarboxylation of silver salt of carboxylic acid.



### Important Points


- Nucleophile approaches the substrate from rear side, opposite to the departing group. Thus, configuration gets inverted.

- Reactivity order:



## S<sub>N</sub>1 Reaction


S<sub>N</sub>1 stands for Substitution Nucleophilic Unimolecular.



$$\text{Rate} = k[R\text{—}LG]$$

**Mechanism:** The S<sub>N</sub>1 mechanism is a two steps process, first one being the slow is the rate determining step.

**Step 1:**




**Step 2:**



### Important Points

- Planar carbocation is formed in the first step, it is attacked from the front as well as the back side. Thus, product formed is racemic mixture.
- Reactivity depends on the stability of the carbocation formed.




## S<sub>N</sub>i Reaction

S<sub>N</sub>i stands for Substitution Nucleophilic Internal. The difference between S<sub>N</sub>1 and S<sub>N</sub>i is actually that the ion pair is not completely dissociated and therefore, unlike S<sub>N</sub>1, no real carbocation participates in S<sub>N</sub>i.


## S<sub>N</sub>2 Reaction

S<sub>N</sub>2 stands for Substitution Nucleophilic Bimolecular.



$$\text{Rate} = k[R\text{—}LG][\text{Nu}^-]$$

**Mechanism:** The S<sub>N</sub>2 mechanism is a single step process without intermediate.




## In Aromatic Compounds

### Electrophilic Substitution Reactions


Arene system is electron rich hence, prefer to undergo substitution by electrophiles.

**Mechanism:** It is a two steps reaction.

**Step 1:** Rate determining step,




**Step 2:**




### Nucleophilic Substitution Reactions

Benzene ring is unreactive towards nucleophilic substitution, the presence of electron withdrawing group can activate the ring.




### Substitution via Benzyne Mechanism

It is basically an elimination-addition process.



The aromatic substrate loses a molecule of HBr in presence of very strong base to give a benzyne intermediate.



**Cine substitution:** In this, entering group occupies the position adjacent to the leaving group.